

READ ME FIRST

UNIX

CD-ROM Installation

Thoroughbred's CD-ROM installation replaces the need for multiple pieces of media.

UNIX installations are accomplished using cpio. Before using cpio with a CD-ROM drive, the drive must be mounted. Sample mount commands are as follows:

SCO:	<code>mount -r -f HS,lower /dev/device-name /mountpoint</code>
AIX:	<code>mount -r -v cdrfs /dev/device-name /mountpoint</code>
HP:	<code>mount -r -F cdfs /dev/device-name /mountpoint</code>
DEC UNIX:	<code>mount -r -t cdfs -o noversion /dev/r34c /mountpoint</code>
Version 5.0+	<code>mount -r -t cdfs -o noversion /dev/disk/cdrom0c /mountpoint</code>
RedHat Linux:	<code>mount -r -t iso9660 /dev/device-name/mountpoint</code>

After mounting the CD-ROM drive, continue with the documented steps from the Thoroughbred Basic Installation Guide. The CD-ROM contains a cpio file for each product. The product cpio file name should be substituted for the `/dev/device-name`. Be sure to include the mountpoint, product platform folder, and product file with the cpio command. For example, to install IDOL-IV:

1. `login as super-user`
2. `mount -r -f HS,lower /dev/cd0 /cdrom`
3. `cd basic-home-directory`
4. `umask 0`
5. `cpio -icvBmud </cdrom/tsi_4gl`
Note: depending on your product you will enter `tsi_env`, `tsi_ow`, or `tsi_4gl`
Note: use `-ivBmud` if you are installing Linux
6. `./install -n`

In step 2, **cd0** is the name of the CD device. In steps 2 and 5, **cdrom** is the mountpoint name.

CD-ROM installations also include a HelpDocs folder. This folder contains Release Notes associated with the software version.